antibodies -online.com





anti-CCL16 antibody (AA 24-120) (FITC)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μg
Target:	CCL16
Binding Specificity:	AA 24-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL16 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human C-C motif chemokine 16 protein (24-120AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	CCL16
Alternative Name:	CCL16 (CCL16 Products)
Background:	Background: Shows chemotactic activity for lymphocytes and monocytes but not neutrophils.
	Also shows potent myelosuppressive activity, suppresses proliferation of myeloid progenitor

cells. Recombinant SCYA16 shows chemotactic activity for monocytes and THP-1 monocytes, but not for resting lymphocytes and neutrophils. Induces a calcium flux in THP-1 cells that were desensitized by prior expression to RANTES.

Aliases: C-C motif chemokine 16 antibody, CCL16 antibody, CCL16_HUMAN antibody, Chemokine (C-C motif) ligand 16 antibody, Chemokine CC-4 antibody, Chemokine LEC antibody, CKb12 antibody, HCC-4 antibody, HCC-4 antibody, IL-10-inducible chemokine antibody, IL10 inducible chemokine antibody, IL10 inducible chemokine antibody, ILINCK antibody, LCC-1 antibody, LCC-1 antibody, Liver CC chemokine 1 precursor antibody, Liver expressed chemokine antibody, Liver-expressed chemokine antibody, LMC antibody, Lymphocyte and monocyte chemoattractant antibody, Monotactin 1 antibody, Monotactin-1 antibody, MTN-1 antibody, Mtn1 antibody, NCC-4 antibody, NCC-4 antibody, New CC chemokine 4 antibody, SCYA16 antibody, SCYL4 antibody, Small inducible cytokine A16 precursor antibody, Small inducible cytokine subfamily A (Cys Cys) member 16 antibody, Small-inducible cytokine A16 antibody

UniProt:

015467

Application Details

For Research Use only

Handling

Restrictions:

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	