



[Go to Product page](#)

Datasheet for ABIN7145966
anti-CCL17 antibody (AA 24-94)

2 Images

Overview

Quantity:	100 µg
Target:	CCL17
Binding Specificity:	AA 24-94
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL17 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human C-C motif chemokine 17 protein (24-94AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CCL17
Alternative Name:	CCL17 (CCL17 Products)
Background:	Background: Chemotactic factor for T-lymphocytes but not monocytes or granulocytes. May play a role in T-cell development in thymus and in trafficking and activation of mature T-cells.

Target Details

Binds to CCR4.

Aliases: A-152E5.3 antibody, A152E53 antibody, ABCD 2 antibody, ABCD2 antibody, C-C motif chemokine 17 antibody, CC chemokine TARC antibody, CCL17 antibody, CCL17_HUMAN antibody, Chemokine CC Motif Ligand 17 antibody, MGC138271 antibody, MGC138273 antibody, SCYA17 antibody, Small Inducible Cytokine A17 antibody, Small Inducible Cytokine A17 Precursor antibody, Small Inducible Cytokine Subfamily A (Cys Cys) antibody, Small Inducible Cytokine Subfamily A (Cys Cys) Member 17 antibody, Small-inducible cytokine A17 antibody, T Cell Directed CC Chemokine antibody, Thymus and activation regulated chemokine antibody, Thymus and activation-regulated chemokine antibody

UniProt: [Q92583](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human cervical cancer using ABIN7145966 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human glioma using ABIN7145966 at dilution of 1:100