



[Go to Product page](#)

Datasheet for ABIN7146019  
**anti-CCL8 antibody (AA 24-99)**

2 Images

Overview

Quantity:	100 µg
Target:	CCL8
Binding Specificity:	AA 24-99
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL8 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human C-C motif chemokine 8 protein (24-99AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CCL8
Alternative Name:	CCL8 ( <a href="#">CCL8 Products</a> )
Background:	Background: Chemotactic factor that attracts monocytes, lymphocytes, basophils and eosinophils. May play a role in neoplasia and inflammatory host responses. This protein can

## Target Details

---

bind heparin. The processed form MCP-2(6-76) does not show monocyte chemotactic activity, but inhibits the chemotactic effect most predominantly of CCL7, and also of CCL2 and CCL5 and CCL8

Aliases: Ccl8 antibody, CCL8\_HUMAN antibody, HC14 antibody, MCP-2 antibody, MCP-2(6-76) antibody, Monocyte chemoattractant protein 2 antibody, Monocyte chemotactic protein 2 antibody, SCYA10 antibody, SCYA8 antibody, Small-inducible cytokine A8 antibody

---

UniProt: [P80075](#)

## Application Details

---

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human gastric cancer using ABIN7146019 at dilution of 1:100



#### Immunohistochemistry

**Image 2.** Immunohistochemistry of paraffin-embedded human small intestine tissue using ABIN7146019 at dilution of 1:100