antibodies - online.com







anti-CLEC11A antibody (AA 22-323)

Images



_							
0	V	е	r١	/1	е	V	1

Quantity:	100 μL
Target:	CLEC11A
Binding Specificity:	AA 22-323
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLEC11A antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human C-type lectin domain family 11 member A protein (22-323AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	CLEC11A
Alternative Name:	CLEC11A (CLEC11A Products)
Background:	Background: Stimulates the proliferation and differentiation of hematopoietic precursor cells
	from various lineages, including erythrocytes, lymphocytes, granulocytes and macrophages.

Target Details

Acts synergistically with other cytokines, including IL-3, GCSF, GMCSF and FLT3 ligand. Suppresses SCF-stimulated erythrocyte proliferation.

Aliases: C type (calcium dependent, carbohydrate recognition domain) lectin, superfamily member 3 antibody, C type lectin domain family 11 member A antibody, C type lectin superfamily member 3 antibody, C-type lectin domain family 11 member A antibody, C-type lectin superfamily member 3 antibody, CLC11_HUMAN antibody, CLEC11A antibody, CLECSF3 antibody, LSLCL antibody, Lymphocyte secreted C type lectin antibody, Lymphocyte secreted C-type lectin antibody, lymphocyte secreted long form of C type lectin antibody, p47 antibody, Stem cell growth factor antibody, stem cell growth factor lymphocyte secreted C type lectin antibody

UniProt:


Q9Y240

Application Details

Application Notes:	Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human kidney tissue using ABIN7146050 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human brain tissue using ABIN7146050 at dilution of 1:100



Immunofluorescence

Image 3. Immunofluorescent analysis of HepG2 cells using ABIN7146050 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)