



[Go to Product page](#)

Datasheet for ABIN7146123

anti-CXCL13 antibody (AA 23-95)

1 Image

Overview

Quantity:	100 µg
Target:	CXCL13
Binding Specificity:	AA 23-95
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCL13 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human C-X-C motif chemokine 13 protein (23-95AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Caprylic Acid Ammonium Sulfate Precipitation purified

Target Details

Target:	CXCL13
Alternative Name:	CXCL13 (CXCL13 Products)
Background:	Background: Chemotactic for B-lymphocytes but not for T-lymphocytes, monocytes and neutrophils. Does not induce calcium release in B-lymphocytes.

Target Details

Aliases: ANGIE antibody, ANGIE2 antibody, B cell attracting chemokine 1 antibody, B cell-attracting chemokine 1 antibody, B lymphocyte chemoattractant antibody, B-cell chemoattractant antibody, B-cell-attracting chemokine 1 antibody, B-cell-homing chemokine (ligand for Burkitt's lymphoma receptor-1) antibody, BCA-1 antibody, BLC antibody, BLR1L antibody, C-X-C motif chemokine 13 antibody, Chemokine (C-X-C motif) ligand 13 antibody, Chemokine (C-X-C motif) ligand 13 (B-cell chemoattractant) antibody, Chemokine, CXC motif, ligand 13 antibody, CXC chemokine BLC antibody, CXCL13 antibody, CXL13_HUMAN antibody, SCYB13 antibody, Small inducible cytokine B subfamily (Cys-X-Cys motif), member 13 (B-cell chemoattractant) antibody, Small inducible cytokine B13 antibody, Small inducible cytokine subfamily B, member 13 antibody, Small-inducible cytokine B13 antibody

UniProt: [043927](#)

Application Details

Application Notes: Recommended dilution:IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: 0.1Mol/L NaCl, 15mmol/L Sodium azide, PH7.2

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human liver using ABIN7146123 at dilution 1:100