# antibodies -online.com





# anti-CADM3 antibody (AA 140-328) (FITC)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μg
Target:	CADM3
Binding Specificity:	AA 140-328
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CADM3 antibody is conjugated to FITC
Application:	Please inquire

#### **Product Details**

Immunogen:	Recombinant Human Cell adhesion molecule 3 protein (140-328AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

# Target Details

Target:	CADM3	
Alternative Name:	CADM3 (CADM3 Products)	
Background:	Background: Involved in the cell-cell adhesion. Has both calcium-independent homophilic cel	
	cell adhesion activity and calcium-independent heterophilic cell-cell adhesion activity with	

IGSF4, NECTIN1 and NECTIN3. Interaction with EPB41L1 may regulate structure or function of cell-cell junctions (By similarity).

Aliases: BIgR antibody, Brain immunoglobulin receptor antibody, CADM 3 antibody, cadm3 antibody, CADM3\_HUMAN antibody, Cell adhesion molecule 3 antibody, Dendritic cell nectin like protein 1 short isoform antibody, FLJ10698 antibody, IgSF4B antibody, Immunoglobulin superfamily member 4B antibody, Necl 1 antibody, Necl-1 antibody, NECL1 antibody, Nectin like 1 antibody, Nectin like protein 1 antibody, Nectin-like protein 1 antibody, Synaptic cell adhesion molecule 3 antibody, synCAM3 antibody, TSLC1 like 1 antibody, TSLC1 like protein 1 antibody, TSLC1 antibody, TSLC1 antibody

UniProt:

Q8N126

Pathways:

Cell-Cell Junction Organization

## **Application Details**

Restrictions:

For Research Use only

### Handling

Storage Comment:

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.