## antibodies - online.com







## anti-CDON antibody (AA 1095-1211) (HRP)

CDON

**CDON (CDON Products)** 



| ( ) | 11/0   | K\ /   | iew         |
|-----|--------|--------|-------------|
|     | $\cup$ | 'I V/I | $I \cap VV$ |
|     |        |        |             |

Target:

Alternative Name:

Background:

| Quantity:            | 100 μg   |
|----------------------|--|
| Target:              | CDON   |
| Binding Specificity: | AA 1095-1211   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This CDON antibody is conjugated to HRP  |
| Application:         | ELISA  |
| Product Details      |  |
| Immunogen:           | Recombinant Human Cell adhesion molecule-related/down-regulated by oncogenes protein (1095-1211AA) |
| Isotype:             | IgG  |
| Cross-Reactivity:    | Human  |
| Purification:        | >95%, Protein G purified   |
| Target Details       |  |

Background: Component of a cell-surface receptor complex that mediates cell-cell interactions

## **Target Details**

|           | between muscle precursor cells. Promotes differentiation of myogenic cells (By similarity).  Aliases: CDO antibody, Cdon antibody, CDON_HUMAN antibody, Cell adhesion molecule-related/down-regulated by oncogenes antibody |
|-----------|---|
| UniProt:  | Q4KMG0  |
| Pathways: | Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development, Embryonic Body<br>Morphogenesis   |

## Application Details

Storage Comment:

| Application Details |  |  |
|---------------------|--|--|
| Application Notes:  | Optimal working dilution should be determined by the investigator.                 |  |
| Restrictions:       | For Research Use only  |  |
| Handling            |  |  |
| Format:             | Liquid   |  |
| Buffer:             | Preservative: 0.03 % Proclin 300   |  |
|                     | Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4                                     |  |
| Preservative:       | ProClin  |  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |  |
|                     | handled by trained staff only.   |  |
| Storage:            | -20 °C,-80 °C  |  |

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.