antibodies -online.com

anti-CDC123 antibody (AA 44-97)









Go to Product page

\sim	
()\/⊝	view
\bigcirc \lor \bigcirc	V I C V V

Quantity:	100 μg
Target:	CDC123
Binding Specificity:	AA 44-97
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDC123 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Cell division cycle protein 123 homolog protein (44-97AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CDC123	
Alternative Name:	CDC123 (CDC123 Products)	
Background:	Background: Required for S phase entry of the cell cycle.	
	Aliases: C10orf7 antibody, CD123_HUMAN antibody, CDC123 antibody, Cell division cycle 123	

Target Details

antibody, Cell division cycle 123 homolog antibody, Cell division cycle protein 123 homolog	molog
antibody, D123 antibody, HT 1080 antibody, HT-1080 antibody, Protein D123 antibod	y, PZ32
antibody	

UniProt:

075794


Application Details

Application Notes:	Recommended dilution: IHC:1:500-1:1000,
Restrictions: For Research Use only	

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. IHC image of ABIN7147297 diluted at 1:500 and staining in paraffin-embedded human endometrial cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.