antibodies -online.com





Datasheet for ABIN7147936

anti-CLASP2 antibody (AA 226-381)

3 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	CLASP2
Binding Specificity:	AA 226-381
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLASP2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunoprecipitation (IP)

Product Details

Immunogen:	Recombinant Human CLIP-associating protein 2 protein (226-381AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CLASP2
Alternative Name:	CLASP2 (CLASP2 Products)
Background:	Background: Microtubule plus-end tracking protein that promotes the stabilization of dynamic microtubules (PubMed:26003921). Involved in the nucleation of noncentrosomal microtubules

originating from the trans-Golgi network (TGN). Required for the polarization of the cytoplasmic microtubule arrays in migrating cells towards the leading edge of the cell. May act at the cell cortex to enhance the frequency of rescue of depolymerizing microtubules by attaching their plus-ends to cortical platforms composed of ERC1 and PHLDB2 (PubMed:16824950). This cortical microtubule stabilizing activity is regulated at least in part by phosphatidylinositol 3kinase signaling. Also performs a similar stabilizing function at the kinetochore which is essential for the bipolar alignment of chromosomes on the mitotic spindle (PubMed:16866869, PubMed:16914514). Acts as a mediator of ERBB2-dependent stabilization of microtubules at the cell cortex.

Aliases: CLAP2_HUMAN antibody, CLASP 2 antibody, Clasp2 antibody, CLIP associating protein 2 antibody, CLIP-associating protein 2 antibody, Cytoplasmic linker associated protein 2 antibody, Cytoplasmic linker-associated protein 2 antibody, hOrbit2 antibody, KIAA0627 antibody, Multiple asters (Mast) like homolog 2 antibody, Protein Orbit homolog 2 antibody

UniProt:

075122

Pathways:

Microtubule Dynamics, Maintenance of Protein Location

Application Details

Application Notes:

Recommended dilution: IHC:1:20-1:200, IP:1:200-1:2000,

Restrictions:

For Research Use only

Handling

Format:	

Liquid

Buffer:

Preservative: 0.03 % Proclin 300

Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative:

ProClin

Precaution of Use:

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be


handled by trained staff only.

Storage:

-20 °C,-80 °C


Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human colon cancer using ABIN7147936 at dilution of 1:100



Western Blotting

Image 2. Immunoprecipitating CLASP2 in HEK293 whole cell lysate Lane 1: Rabbit control IgG instead of ABIN7147936 in HEK293 whole cell lysate. For western blotting, a HRP-conjugated Protein G antibody was used as the secondary antibody (1/2000) Lane 2: ABIN7147936 (8 μ g) + HEK293 whole cell lysate (500 μ g) Lane 3: HEK293 whole cell lysate (10 μ g)



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human liver cancer using ABIN7147936 at dilution of 1:100