antibodies

Datasheet for ABIN7148019 anti-COPG2 antibody (AA 676-823) (Biotin)



Overview

Quantity:	100 µg
Target:	COPG2
Binding Specificity:	AA 676-823
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COPG2 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Coatomer subunit gamma-2 protein (676-823AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	COPG2
Alternative Name:	COPG2 (COPG2 Products)
Background:	Background: The coatomer is a cytosolic protein complex that binds to dilysine motifs and
	reversibly associates with Golgi non-clathrin-coated vesicles, which further mediate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7148019 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Storage:

	biosynthetic protein transport from the ER, via the Golgi up to the trans Golgi network.
	Coatomer complex is required for budding from Golgi membranes, and is essential for the
	retrograde Golgi-to-ER transport of dilysine-tagged proteins. In mammals, the coatomer can
	only be recruited by membranes associated to ADP-ribosylation factors (ARFs), which are sma
	GTP-binding proteins, the complex also influences the Golgi structural integrity, as well as the
	processing, activity, and endocytic recycling of LDL receptors (By similarity).
	Aliases: 2 COP antibody, Coat protein nonclathrin gamma 2 cop antibody, Coatomer protein
	complex subunit gamma 2 antibody, Coatomer subunit gamma 2 antibody, Coatomer subunit
	gamma-2 antibody, COPG 2 antibody, Copg2 antibody, COPG2_HUMAN antibody,
	DKFZp761N09121 antibody, FLJ11781 antibody, Gamma 2 coat protein antibody, Gamma 2
	COP antibody, Gamma-2-coat protein antibody, Gamma-2-COP antibody
UniProt:	Q9UBF2
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

-20 °C,-80 °C