

[Go to Product page](#)

Datasheet for ABIN7148021
anti-COPG2 antibody (AA 676-823) (HRP)

Overview

Quantity:	100 µg
Target:	COPG2
Binding Specificity:	AA 676-823
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COPG2 antibody is conjugated to HRP
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Coatomer subunit gamma-2 protein (676-823AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	COPG2
Alternative Name:	COPG2 (COPG2 Products)
Background:	Background: The coatomer is a cytosolic protein complex that binds to dilysine motifs and reversibly associates with Golgi non-clathrin-coated vesicles, which further mediate

Target Details

biosynthetic protein transport from the ER, via the Golgi up to the trans Golgi network. Coatomer complex is required for budding from Golgi membranes, and is essential for the retrograde Golgi-to-ER transport of dilysine-tagged proteins. In mammals, the coatomer can only be recruited by membranes associated to ADP-ribosylation factors (ARFs), which are small GTP-binding proteins, the complex also influences the Golgi structural integrity, as well as the processing, activity, and endocytic recycling of LDL receptors (By similarity). Aliases: 2 COP antibody, Coat protein nonclathrin gamma 2 cop antibody, Coatomer protein complex subunit gamma 2 antibody, Coatomer subunit gamma 2 antibody, Coatomer subunit gamma-2 antibody, COPG 2 antibody, Copg2 antibody, COPG2_HUMAN antibody, DKFZp761N09121 antibody, FLJ11781 antibody, Gamma 2 coat protein antibody, Gamma 2 COP antibody, Gamma-2-coat protein antibody, Gamma-2-COP antibody

UniProt: [Q9UBF2](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.