antibodies

Datasheet for ABIN7148676 anti-CRTC1 antibody (AA 1-248) (Biotin)



Overview

| Quantity: | 100 µg |
|----------------------|---|
| Target: | CRTC1 |
| Binding Specificity: | AA 1-248 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CRTC1 antibody is conjugated to Biotin |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human CREB-regulated transcription coactivator 1 protein (1-248AA) |
|-------------------|--|
| Isotype: | lgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | CRTC1 |
|-------------------|--|
| Alternative Name: | CRTC1 (CRTC1 Products) |
| Background: | Background: Transcriptional coactivator for CREB1 which activates transcription through both |
| | consensus and variant cAMP response element (CRE) sites. Acts as a coactivator, in the |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7148676 | 09/10/2023 | Copyright antibodies-online. All rights reserved. SIK/TORC signaling pathway, being active when dephosphorylated and acts independently of CREB1 \'Ser-133\' phosphorylation. Enhances the interaction of CREB1 with TAF4. Regulates the expression of specific CREB-activated genes such as the steroidogenic gene, StAR. Potent coactivator of PGC1alpha and inducer of mitochondrial biogenesis in muscle cells. Also coactivator for TAX activation of the human T-cell leukemia virus type 1 (HTLV-1) long terminal repeats (LTR). In the hippocampus, involved in late-phase long-term potentiation (L-LTP) maintenance at the Schaffer collateral-CA1 synapses. May be required for dendritic growth of developing cortical neurons (By similarity). In concert with SIK1, regulates the light-induced entrainment of the circadian clock. In response to light stimulus, coactivates the CREB-mediated transcription of PER1 which plays an important role in the photic entrainment of the circadian clock.

Aliases: KIAA0616 antibody, CREB regulated transcription coactivator 1 antibody, CREBregulated transcription coactivator 1 antibody, CRTC1 antibody, CRTC1_HUMAN antibody, FLJ14027 antibody, MECT 1 antibody, Mucoepidermoid carcinoma translocated 1 antibody, Mucoepidermoid carcinoma translocated protein 1 antibody, TORC-1 antibody, TORC1 antibody, Transducer of CREB protein 1 antibody, Transducer of regulated cAMP response element binding protein 1 antibody, Transducer of regulated cAMP response element-binding protein (CREB) 1 antibody, Transducer of regulated cAMP response element-binding protein 1 antibody, WAMTP1 antibody

UniProt:

Q6UUV9

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | Preservative: 0.03 % Proclin 300 |
| | Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
| | handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7148676 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7148676 | 09/10/2023 | Copyright antibodies-online. All rights reserved.