# antibodies .- online.com







## anti-CREB3L4 antibody (AA 13-133) (FITC)



( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	CREB3L4
Binding Specificity:	AA 13-133
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CREB3L4 antibody is conjugated to FITC
Application:	Please inquire

### **Product Details**

Immunogen:	Recombinant Human Cyclic AMP-responsive element-binding protein 3-like protein 4 protein (13-133AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	CREB3L4
Alternative Name:	CREB3L4 (CREB3L4 Products)
Background: Background: Transcriptional activator that may play a role in the unfolded protein respo	

Binds to the UPR element (UPRE) but not to CRE element. Preferentially binds DNA with to the consensus sequence 5\'-T[GT]ACGT[GA][GT]-3\' and has transcriptional activation activity from UPRE. Binds to NF-kappa-B site and has transcriptional activation activity from NF-kappa-B-containing regulatory elements (By similarity).

Aliases: 1700012K17Rik antibody, AlbZIP antibody, Androgen induced basic leucine zipper antibody, Androgen induced basic leucine zipper protein antibody, Androgen-induced basic leucine zipper protein antibody, ATCE1 antibody, Attaching to CRE like 1 antibody, Attaching to CRE-like 1 antibody, cAMP responsive element binding protein 1 antibody, cAMP responsive element binding protein 3 like 4 antibody, cAMP responsive element binding protein 4 antibody, cAMP-responsive element-binding protein 3 like protein 4 antibody, cAMP-responsive element-binding protein 3-like protein 4 antibody, CREB4 antibody, CREB4 antibody, CREB4 antibody, CREB3L4 antibody, CREB4 antibody, Cyclic AMP responsive element binding protein 3 like protein 4 antibody, Cyclic AMP-responsive element-binding protein 4 antibody, Processed cyclic AMP-responsive element-binding protein 4 antibody, Tisp40 antibody, Tisp40 antibody, Tisp40 antibody, Tisp40 antibody, Tisp40 antibody

UniProt:

Q8TEY5

Pathways:

Thyroid Hormone Synthesis

#### **Application Details**

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Storage Comment:

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.