# antibodies -online.com





# anti-CNGA4 antibody (AA 1-575) (HRP)



Go to Product page

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μg
Target:	CNGA4
Binding Specificity:	AA 1-575
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CNGA4 antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Cyclic nucleotide-gated cation channel alpha-4 protein (1-575AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	CNGA4	
Alternative Name:	CNGA4 (CNGA4 Products)	
Background:	Background: Second messenger, cAMP, causes the opening of cation-selective cyclic nucleotide-gated (CNG) channels and depolarization of the neuron (olfactory sensory neurons,	

#### **Target Details**

OSNs). CNGA4 is the modulatory subunit of this channel which is known to play a central role in the transduction of odorant signals and subsequent adaptation. By accelerating the calciummediated negative feedback in olfactory signaling it allows rapid adaptation to odor stimulation and extends its range of odor detection.

Aliases: CNGA4Cyclic nucleotide-gated cation channel alpha-4 antibody, Cyclic nucleotidegated channel alpha-4 antibody, CNG channel alpha-4 antibody, CNG-4 antibody, CNG4 antibody

UniProt:

Q8IV77

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Barrer.	Treservative. G.SS 101 TOSHITOSS	
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Ctorogo Commont:	Upon receipt store at 20°C or 20°C Avoid repeated from	

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.