# antibodies -online.com





# anti-CDK13 antibody (AA 1-170) (FITC)



#### Overview

Quantity:	100 μg
Target:	CDK13
Binding Specificity:	AA 1-170
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDK13 antibody is conjugated to FITC
Application:	Please inquire

## **Product Details**

Immunogen:	Recombinant Human Cyclin-dependent kinase 13 protein (1-170AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	CDK13
Alternative Name:	CDK13 (CDK13 Products)
Background:	Background: Cyclin-dependent kinase which displays CTD kinase activity and is required for
	RNA splicing. Has CTD kinase activity by hyperphosphorylating the C-terminal heptapeptide

repeat domain (CTD) of the largest RNA polymerase II subunit RPB1, thereby acting as a key regulator of transcription elongation. Required for RNA splicing, probably by phosphorylating SRSF1/SF2. Required during hematopoiesis. In case of infection by HIV-1 virus, interacts with HIV-1 Tat protein acetylated at \'Lys-50\' and \'Lys-51\', thereby increasing HIV-1 mRNA splicing and promoting the production of the doubly spliced HIV-1 protein Nef.

Aliases: CDC2 related protein kinase 5 antibody, CDC2-related protein kinase 5 antibody, CDC2L antibody, CDK13 antibody, CDK13\_HUMAN antibody, cell division controller cholinesterase related antibody, cell division cycle 2 like 5 (cholinesterase related cell division controller) antibody, cell division cycle 2 like 5 antibody, Cell division cycle 2 like protein kinase 5 antibody, Cell division protein kinase 13 antibody, CHED antibody, Cholinesterase related cell division controller antibody, Cholinesterase-related cell division controller antibody, cyclin dependent kinase 13 antibody, Cyclin-dependent kinase 13 antibody, hCDK13 antibody

UniProt:

Q14004

### **Application Details**

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.