antibodies .- online.com





anti-CDK3 antibody (AA 220-297) (HRP)



Go to Product page

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μg |
|----------------------|---|
| Target: | CDK3 |
| Binding Specificity: | AA 220-297 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CDK3 antibody is conjugated to HRP |
| Application: | ELISA |

Product Details

| Immunogen: | Recombinant Human Cyclin-dependent kinase 3 protein (220-297AA) | |
|-------------------|---|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | >95%, Protein G purified | |

Target Details

| Target: | CDK3 | |
|-------------------|--|--|
| Alternative Name: | CDK3 (CDK3 Products) | |
| Background: | Background: Serine/threonine-protein kinase that plays a critical role in the control of the | |
| | eukaryotic cell cycle, involved in G0-G1 and G1-S cell cycle transitions. Interacts with | |

CCNC/cyclin-C during interphase. Phosphorylates histone H1, ATF1, RB1 and CABLES1. ATF1 phosphorylation triggers ATF1 transactivation and transcriptional activities, and promotes cell proliferation and transformation. CDK3/cyclin-C mediated RB1 phosphorylation is required for G0-G1 transition. Promotes G1-S transition probably by contributing to the activation of E2F1, E2F2 and E2F3 in a RB1-independent manner.

Aliases: Cdk 3 antibody, Cdk3 antibody, CDK3_HUMAN antibody, CDKN3 antibody, Cell division kinase 3 antibody, Cell division protein kinase 3 antibody, Cyclin dependent kinase 3 antibody, Cyclin-dependent kinase 3 antibody, OTTHUMP00000206828 antibody, p36 antibody

UniProt: Q00526

Pathways: Cell Division Cycle

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. | |
|--------------------|--|--|
| Restrictions: | For Research Use only | |

Handling

| папишпу | |
|--------------------|---|
| Format: | Liquid |
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |