
antibodies -online.com







anti-DOCK3 antibody (AA 1630-1934) (Biotin)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μg
Target:	DOCK3
Binding Specificity:	AA 1630-1934
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOCK3 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Dedicator of cytokinesis protein 3 protein (1630-1934AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	DOCK3	
Alternative Name:	DOCK3 (DOCK3 Products)	
Background:	Background: Potential guanine nucleotide exchange factor (GEF). GEF proteins activate some	
	small GTPases by exchanging bound GDP for free GTP. Its interaction with presenilin proteins	

Target Details

as well as its ability to stimulate Tau/MAPT phosphorylation suggest that it may be involved in Alzheimer disease. Ectopic expression in nerve cells decreases the secretion of beta-amyloid APBA1 protein and lowers the rate of cell-substratum adhesion, suggesting that it may affect the function of some small GTPase involved in the regulation of actin cytoskeleton or cell adhesion receptors (By similarity).

Aliases: DOCK3 antibody, KIAA0299 antibody, MOCADedicator of cytokinesis protein 3 antibody, Modifier of cell adhesion antibody, Presenilin-binding protein antibody, PBP antibody

UniProt:

Q8IZD9

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.