
antibodies -online.com







Image



Overview

Quantity:	100 μg
Target:	DCK
Binding Specificity:	AA 1-79
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DCK antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Deoxycytidine kinase protein (1-79AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	DCK	
Alternative Name:	DCK (DCK Products)	
Background:	Background: Required for the phosphorylation of the deoxyribonucleosides deoxycytidine (dC) deoxyguanosine (dG) and deoxyadenosine (dA). Has broad substrate specificity, and does not	

Target Details

display selectivity based on the chirality of the substrate. It is also an essential enzyme for the phosphorylation of numerous nucleoside analogs widely employed as antiviral and chemotherapeutic agents.

Aliases: dCK antibody, DCK protein antibody, DCK_HUMAN antibody, Deoxycytidine kinase antibody, Deoxynucleoside kinase antibody, EC 2.7.1 antibody, EC 2.7.1.74 antibody, MGC117410 antibody, MGC138632 antibody, OTTHUMP00000219118 antibody, OTTHUMP00000219119 antibody

UniProt:


P27707

Application Details

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Buller.	Preservative. 0.03 % Proclin 300	
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt store at -20°C or -80°C. Avoid repeated freeze	



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human glioma using ABIN7149696 at dilution of 1:100