



[Go to Product page](#)

Datasheet for ABIN7149862  
**anti-SAT1 antibody (AA 5-171)**

2 Images

### Overview

Quantity:	100 µg
Target:	SAT1
Binding Specificity:	AA 5-171
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SAT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

### Product Details

Immunogen:	Recombinant Human Diamine acetyltransferase 1 protein (5-171AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	SAT1
Alternative Name:	SAT1 ( <a href="#">SAT1 Products</a> )
Background:	DC21 antibody, Diamine acetyltransferase 1 antibody, Diamine N acetyltransferase 1 antibody, EC 2.3.1.57 antibody, KFSD antibody, KFSDX antibody, Polyamine N acetyltransferase 1

## Target Details

antibody, Polyamine N-acetyltransferase 1 antibody, Putrescine acetyltransferase antibody, SAT antibody, SAT1 antibody, SAT1\_HUMAN antibody, Spermidine/spermine N(1) acetyltransferase 1 antibody, Spermidine/spermine N(1)-acetyltransferase 1 antibody, Spermidine/spermine N1 acetyltransferase 1 antibody, Spermidine/spermine N1 acetyltransferase alpha antibody, SSAT 1 antibody, SSAT antibody, SSAT-1 antibody

UniProt: [P21673](#)

## Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

## Images



### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7149862 at dilution of 1:100



### Western Blotting

**Image 2.** Western blot All lanes: SAT1 antibody at 2 µg/mL  
Lane 1: 293T whole cell lysate Lane 2: EC109 whole cell lysate  
Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution  
Predicted band size: 21 kDa Observed band size: 90 kDa