antibodies .- online.com







anti-DMAP1 antibody (AA 250-300) (FITC)



Overview

Quantity:	100 μg
Target:	DMAP1
Binding Specificity:	AA 250-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DMAP1 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human DNA methyltransferase 1-associated protein 1 protein (250-300AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	DMAP1
Alternative Name:	DMAP1 (DMAP1 Products)
Background:	Background: Involved in transcription repression and activation. Its interaction with HDAC2 may
	provide a mechanism for histone deacetylation in heterochromatin following replication of DNA

at late firing origins. Can also repress transcription independently of histone deacetylase activity. May specifically potentiate DAXX-mediated repression of glucocorticoid receptor-dependent transcription. Component of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Participates in the nuclear localization of URI1 and increases its transcriptional corepressor activity.

Aliases: DMAP1 antibody, KIAA1425DNA methyltransferase 1-associated protein 1 antibody, DNMAP1 antibody, DNMT1-associated protein 1 antibody

UniProt:

Q9NPF5

Application Details

Restrictions:	
Restrictions.	

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.