antibodies -online.com





anti-ID3 antibody (AA 27-99)





Go to Product page

Overview

Quantity:	100 μg
Target:	ID3
Binding Specificity:	AA 27-99
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ID3 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human DNA-binding protein inhibitor ID-3 protein (27-99AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	ID3
Alternative Name:	ID3 (ID3 Products)
Background:	Background: Transcriptional regulator (lacking a basic DNA binding domain) which negatively
	regulates the basic helix-loop-helix (bHLH) transcription factors by forming heterodimers and

inhibiting their DNA binding and transcriptional activity. Implicated in regulating a variety of cellular processes, including cellular growth, senescence, differentiation, apoptosis, angiogenesis, and neoplastic transformation. Involved in myogenesis by inhibiting skeletal muscle and cardiac myocyte differentiation and promoting muscle precursor cells proliferation. Inhibits the binding of E2A-containing protein complexes to muscle creatine kinase E-box enhancer. Regulates the circadian clock by repressing the transcriptional activator activity of the CLOCK-ARNTL/BMAL1 heterodimer.

Aliases: 1R21 antibody, bHLHb25 antibody, Class B basic helix-loop-helix protein 25 antibody, DNA binding protein inhibitor ID 3 antibody, DNA-binding protein inhibitor ID-3 antibody, HEIR 1 antibody, HEIR1 antibody, Helix loop helix protein HEIR 1 antibody, Helix loop helix protein HEIR1 antibody, Helix-loop-helix protein HEIR-1 antibody, HLH642 antibody, ID 3 antibody, ID like protein inhibitor HLH 1R21 antibody, ID like protein inhibitor HLH 462 antibody, ID-like protein inhibitor HLH 1R21 antibody, ID3 antibody, ID3_HUMAN antibody, Inhibitor of DNA binding 3 antibody, Inhibitor of DNA binding 3 dominant negative helix loop helix protein antibody


UniProt:

Q02535

Application Details

Application Notes:	Recommended dilution: IF:1:50-1:200,
Restrictions:	For Research Use only
Handling	

Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. Storage: -20 °C,-80 °C Storage Comment: Upon receipt, store at -20 °C or -80 °C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of Hela cells using ABIN7150372 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)