

Datasheet for ABIN7150385
anti-RFX6 antibody (AA 1-260)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	RFX6
Binding Specificity:	AA 1-260
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RFX6 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human DNA-binding protein RFX6 protein (1-260AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RFX6
Alternative Name:	RFX6 (RFX6 Products)
Background:	Background: Transcription factor required to direct islet cell differentiation during endocrine pancreas development. Specifically required for the differentiation of 4 of the 5 islet cell types

Target Details

and for the production of insulin (PubMed:20148032, PubMed:25497100). Not required for pancreatic PP (polypeptide-producing) cells differentiation. Acts downstream of NEUROG3 and regulates the transcription factors involved in beta-cell maturation and function, thereby restricting the expression of the beta-cell differentiation and specification genes, and thus the beta-cell fate choice. Activates transcription by forming a heterodimer with RFX3 and binding to the X-box in the promoter of target genes (PubMed:20148032). Involved in glucose-stimulated insulin secretion by promoting insulin and L-type calcium channel gene transcription (PubMed:25497100).

Aliases: RFX6 antibody, RFXDC1 antibody, DNA-binding protein RFX6 antibody, Regulatory factor X 6 antibody, Regulatory factor X domain-containing protein 1 antibody

UniProt: [Q8HWS3](#)

Pathways: [Carbohydrate Homeostasis](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human pancreatic tissue using ABIN7150385 at dilution of 1:100