antibodies .- online.com





anti-POLR3F antibody (AA 1-270) (Biotin)



\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μg
Target:	POLR3F
Binding Specificity:	AA 1-270
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This POLR3F antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human DNA-directed RNA polymerase III subunit RPC6 protein (1-270AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	POLR3F POLR3F (POLR3F Products)	
Alternative Name:		
Background:	Background: DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA	
	using the four ribonucleoside triphosphates as substrates. Specific peripheric component of	

RNA polymerase III which synthesizes small RNAs, such as 5S rRNA and tRNAs. May direct RNA Pol III binding to the TFIIIB-DNA complex. Plays a key role in sensing and limiting infection by intracellular bacteria and DNA viruses. Acts as nuclear and cytosolic DNA sensor involved in innate immune response. Can sense non-self dsDNA that serves as template for transcription into dsRNA. The non-self RNA polymerase III transcripts, such as Epstein-Barr virus-encoded RNAs (EBERs) induce type I interferon and NF- Kappa-B through the RIG-I pathway. Aliases: DNA directed RNA polymerase III 39 kDa polypeptide antibody, DNA directed RNA polymerase III 39 kDa polypeptide F antibody, DNA directed RNA polymerase III subunit F antibody, DNA directed RNA polymerase III subunit RPC6 antibody, DNA directed RNA polymerases III 39 kDa polypeptide antibody, DNA-directed RNA polymerase III subunit F antibody, DNA-directed RNA polymerase III subunit RPC6 antibody, MGC13517 antibody, Polr3f antibody, Polymerase (RNA) III (DNA directed) polypeptide F antibody, RNA polymerase III 39 kDa subunit antibody, RNA polymerase III C39 subunit antibody, RNA polymerase III subunit C6 antibody, RPC 39 antibody, RPC 6 antibody, RPC39 antibody, RPC6 antibody, RPC6_HUMAN antibody

UniProt:

Q9H1D9

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	