Datasheet for ABIN7150508 anti-DNAJB11 antibody (AA 53-238) (FITC)



Overview

Quantity:	100 µg
Target:	DNAJB11
Binding Specificity:	AA 53-238
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNAJB11 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human DnaJ homolog subfamily B member 11 protein (53-238AA)
lsotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	DNAJB11
Alternative Name:	DNAJB11 (DNAJB11 Products)
Background:	Background: Serves as a co-chaperone for HSPA5. Binds directly to both unfolded proteins that
	are substrates for ERAD and nascent unfolded peptide chains, but dissociates from the HSPA5-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7150508 | 09/09/2023 | Copyright antibodies-online. All rights reserved.





chaperones to the substrate. Stimulates HSPA5 ATPase activity. Aliases: ABBP-2 antibody, ABBP2 antibody, APOBEC1 binding protein 2 antibody, APOBEC1 binding protein 2 antibody, DJ9 antibody, DJ11_HUMAN antibody, DnaJ (Hsp40) homolog subfamily B member 11 antibody, DJ31 natibody, DJ3 intendedy, DnaJ (Hsp40) homolog protein homolog 9 antibody, DNAJB11 antibody, ELJ antibody, ER associated DNAJ antibod ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ERJ3 antibody, ERJ3 antibody, ERJ3 antibody, HSP antibody, hDj-9 antibody, hDj-9 antibody, HDJ antibody, HEJ antibody, ERJ3 antibody, ERJ3 antibody, ERJ3 antibody, HDJ-9 antibody, hDj-9 antibody, HUP1-interacting protein 4 antibody UniProt: 09UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin		
Alases: ABBP-2 antibody, ABBP2 antibody, APOBEC1 binding protein 2 antibody, APOBEC1 binding protein 2 antibody, DJ9 antibody, DJB11_HUMAN antibody, DnaJ (Hsp40) homolog subfamily B member 11 antibody, DnaJ bromolog subfamily B member 11 antibody, DnaJ protein homolog 9 antibody, DNAJB11 antibody, EDJ antibody, ER associated DNAJ antibody ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ER associated dnaJ protein 3 antibody, ER] antibody, hDj-9 antibody, hDj-9 antibody, hDj-9 antibody, HEDJ antibody, ERJ3 antibody, ERJ3 antibody, ERJ9 antibody, hDj-9 antibody, hDj-9 antibody, HEDJ antibody, HEDJ antibody, HEDJ antibody, ERJ9 antibody, PWP1 interacting protein 4 antibody UniProt: 09UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Envice 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Preservative: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.		unfolded protein complex before folding is completed. May help recruiting HSPA5 and other
binding protein 2 antibody, DJ9 antibody, DJB11_HUMAN antibody, DnaJ (Hsp40) homolog subfamily B member 11 antibody, DnaJ bromolog subfamily B member 11 antibody, DnaJ protein homolog 9 antibody, DNAJB11 antibody, EDJ antibody, ER associated DNAJ antibody ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ER chaperone antibody, ER/33 antibody, ER/39 antibody, ER/39 antibody, hDj-9 antibody, hDj-9 antibody, HEDJ antibody, Human DnaJ protein 9 antibody, PWP1 interacting protein 4 antibody PWP1-interacting protein 4 antibody Pathways: ER-Nucleus Signaling Application Details Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.		chaperones to the substrate. Stimulates HSPA5 ATPase activity.
subfamily B member 11 antibody, DnaJ homolog subfamily B member 11 antibody, DnaJ protein homolog 9 antibody, DNAJB11 antibody, EDJ antibody, ER associated DNAJ antibod ER associated DNAJ antibody, ER associated Hsp40 co chaperone antibody, ERJ3 antibody, ERJ3 antibody, ERJ3 antibody, Hp39 antibody, hDj-9 antibody, HEDJ antibody, ERJ3 antibody, ERJ3 antibody, PWP1 interacting protein 4 antibody PWP1-interacting protein 4 antibody PWP1-interacting protein 4 antibody Putways: ER-Nucleus Signaling Application Details Restrictions: For Research Use only Handling Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Preservative: ProClin Preservative: Chi sproduct contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C, 80 °C		Aliases: ABBP-2 antibody, ABBP2 antibody, APOBEC1 binding protein 2 antibody, APOBEC1-
protein homolog 9 antibody, DNAJB11 antibody, EDJ antibody, ER associated DNAJ antibod ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ER; associated DNAJ antibody, ER; associated dnaJ protein 3 antibody, ER; associated Hsp40 co chaperone antibody, ER]3 antibody, ER]3 antibody, ER]3 antibody, PWP1 interacting protein 4 antibody UniProt: Q9UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Iuquid Pormat: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: Nic proclin 4 antiboly Preservative: ProClin Preservative: ProClin Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Proclin This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C, 60 °C		binding protein 2 antibody, DJ9 antibody, DJB11_HUMAN antibody, DnaJ (Hsp40) homolog
ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ER associated DNAJ antibody, ER-associated dnaJ protein 3 antibody, ER-associated Hsp40 co chaperone antibody, ERdj3 antibody, ERJ3 antibody, ERJ3 antibody, NDj9 antibody, NDj9 antibody, HEDJ antibody, Human DnaJ protein 9 antibody, PWP1 interacting protein 4 antibodyUniProt:09UBS4Pathways:ER-Nucleus SignalingApplication DetailsFor Research Use onlyHandlingIniguidFormat:LiquidBuffer:Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.		subfamily B member 11 antibody, DnaJ homolog subfamily B member 11 antibody, DnaJ
associated DNAJ antibody, ER-associated dnaJ protein 3 antibody, ER-associated Hsp40 cc chaperone antibody, ERdj3 antibody, ERJ3 antibody, ERj3p antibody, hDj9 antibody, HEDJ antibody, Human DnaJ protein 9 antibody, PWP1 interacting protein 4 antibody PWP1-interacting protein 4 antibodyUniProt:Q9UBS4Pathways:ER-Nucleus SignalingApplication DetailsFor Research Use onlyHandlingIuquidFormat:LiquidBuffer:Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4Preservative:ProClinPreservative:		protein homolog 9 antibody, DNAJB11 antibody, EDJ antibody, ER associated DNAJ antibody,
chaperone antibody, ERdj3 antibody, ERJ3 antibody, ERj3p antibody, hDj-9 antibody, hDj-9 antibody, HEDJ antibody, HUman DnaJ protein 9 antibody, PWP1 interacting protein 4 antibodyUniProt:Q9UBS4Pathways:ER-Nucleus SignalingApplication DetailsFor Research Use onlyHandlingIliquidFormat:LiquidBuffer:Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.Storage:-20 °C, 80 °C		ER associated dnaJ protein 3 antibody, ER associated Hsp40 co chaperone antibody, ER-
antibody, HEDJ antibody, Human DnaJ protein 9 antibody, PWP1 interacting protein 4 antibody PWP1-interacting protein 4 antibody UniProt: Q9UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Iuquid Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C		associated DNAJ antibody, ER-associated dnaJ protein 3 antibody, ER-associated Hsp40 co-
PWP1-interacting protein 4 antibody UniProt: Q9UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Iuquid Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C		chaperone antibody, ERdj3 antibody, ERJ3 antibody, ERj3p antibody, hDj-9 antibody, hDj9
UniProt: Q9UBS4 Pathways: ER-Nucleus Signaling Application Details For Research Use only Handling Iuquid Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C		antibody, HEDJ antibody, Human DnaJ protein 9 antibody, PWP1 interacting protein 4 antibody,
Pathways: ER-Nucleus Signaling Application Details Restrictions: For Research Use only Handling Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C, 80 °C		PWP1-interacting protein 4 antibody
Application Details Restrictions: For Research Use only Handling Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C	UniProt:	Q9UBS4
Restrictions: For Research Use only Handling	Pathways:	ER-Nucleus Signaling
Handling Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C	Application Details	
Format: Liquid Buffer: Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C	Restrictions:	For Research Use only
Buffer:Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.Storage:-20 °C,-80 °C	Handling	
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4Preservative:ProClinPrecaution of Use:This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only.Storage:-20 °C,-80 °C	Format:	Liquid
Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C	Buffer:	Preservative: 0.03 % Proclin 300
Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should handled by trained staff only. Storage: -20 °C,-80 °C		Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
handled by trained staff only. Storage: -20 °C,-80 °C	Preservative:	ProClin
Storage: -20 °C,-80 °C	Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
		handled by trained staff only.
Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	Storage:	-20 °C,-80 °C
	Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.