

Datasheet for ABIN7150594
anti-RPN1 antibody (AA 44-427)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	RPN1
Binding Specificity:	AA 44-427
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RPN1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Recombinant Human Dolichyl-diphosphooligosaccharide-protein glycosyltransferase 48 kDa subunit protein (44-427AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RPN1
Alternative Name:	RPN1 (RPN1 Products)
Background:	D6Wsu137e antibody, Dolichyl diphosphooligosaccharide protein glycosyltransferase 67 kDa

Target Details

subunit antibody, Dolichyl diphosphooligosaccharide protein glycosyltransferase 67 kDa subunit precursor antibody, Dolichyl-diphosphooligosaccharide--protein glycosyltransferase 67 kDa subunit antibody, Dolichyl-diphosphooligosaccharide--protein glycosyltransferase subunit 1 antibody, EC 2.4.1.119 antibody, Oligosaccharyltransferase 1 homolog antibody, oligosaccharyltransferase complex subunit (non-catalytic) antibody, OST1 antibody, RBPH1 antibody, Ribophorin I antibody, Ribophorin-1 antibody, RPN-I antibody, Rpn1 antibody, RPN1_HUMAN antibody

UniProt: [P04843](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human colon cancer using ABIN7150594 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: RPN1 antibody at 2 µg/mL
Lane 1: EC109 whole cell lysate Lane 2: 293T whole cell lysate
Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution
Predicted band size: 50 kDa Observed band size: 50 kDa