



Datasheet for ABIN7150632

anti-Double-stranded RNA-binding protein Staufen homolog 2 (STAU2) (AA 1-100) antibody



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	Double-stranded RNA-binding protein Staufen homolog 2 (STAU2)
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Double-stranded RNA-binding protein Staufen homolog 2 protein (1-100AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	Double-stranded RNA-binding protein Staufen homolog 2 (STAU2)
Alternative Name:	STAU2 (STAU2 Products)
Background:	Background: RNA-binding protein required for the microtubule-dependent transport of neuronal

Target Details

RNA from the cell body to the dendrite. As protein synthesis occurs within the dendrite, the localization of specific mRNAs to dendrites may be a prerequisite for neurite outgrowth and plasticity at sites distant from the cell body .

Aliases: 39K2 antibody, 39K3 antibody, DKFZp781K0371 antibody, Double stranded RNA binding protein Staufen homolog 2 antibody, Double-stranded RNA-binding protein Staufen homolog 2 antibody, MGC119606 antibody, STAU 2 antibody, stau2 antibody, STAU2_HUMAN antibody, Staufen (Drosophila, RNA-binding protein) homolog 2 antibody, Staufen double-stranded RNA binding protein 2 antibody, Staufen homolog 2 antibody, Staufen RNA binding protein homolog 2 antibody, Staufen, RNA binding protein, homolog 2 (Drosophila) antibody

UniProt: [Q9NUL3](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human small intestine tissue using ABIN7150632 at dilution of 1:100