
antibodies - online.com







anti-ELOVL1 antibody (AA 82-175)





\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μg
Target:	ELOVL1
Binding Specificity:	AA 82-175
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ELOVL1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human Elongation of very long chain fatty acids protein 1 protein (82-175AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	ELOVL1
Alternative Name:	ELOVL1 (ELOVL1 Products)
Background:	Background: Catalyzes the first and rate-limiting reaction of the four that constitute the long-chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process,

allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids/VLCFAs per cycle. Condensing enzyme that exhibits activity toward saturated C18 to C26 acyl-CoA substrates, with the highest activity towards C22:0 acyl-CoA. May participate to the production of both saturated and monounsaturated VLCFAs of different chain lengths that are involved in multiple biological processes as precursors of membrane lipids and lipid mediators. Important for saturated C24:0 and monounsaturated C24:1 sphingolipid synthesis. Indirectly inhibits RPE65 via production of VLCFAs.

Aliases: 3 keto acyl CoA synthase ELOVL1 antibody, 3-keto acyl-CoA synthase ELOVL1 antibody, CGI 88 antibody, Elongation of very long chain fatty acids (FEN1/Elo2 SUR4/Elo3 yeast) like 1 antibody, Elongation of very long chain fatty acids like 1 antibody, Elongation of very long chain fatty acids protein 1 antibody, ELOV1_HUMAN antibody, ELOVL 1 antibody, ELOVL FA elongase 1 antibody, ELOVL fatty acid elongase 1 antibody, ELOVL1 antibody, Ssc1 antibody, Ssc1, mouse, homolog of antibody, very long chain 3 oxoacyl CoA synthase 1 antibody, Very-long-chain 3-oxoacyl-CoA synthase 1 antibody

UniProt:

Q9BW60

Application Details


Application Notes:

Storage Comment:

• •	
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C


Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200,

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human colon tissue using ABIN7151556 at dilution of 1:100



Immunofluorescence

Image 2. Immunofluorescent analysis of MCF-7 cells using ABIN7151556 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)