antibodies -online.com









Go to Product page

_						
()	V	ρ	rv	16	$\supset I$	Λ

Quantity:	100 μg	
Target:	EIF6	
Binding Specificity:	AA 1-245	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EIF6 antibody is un-conjugated	
Application:	Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF)	

Product Details

Immunogen:	Recombinant Human Eukaryotic translation initiation factor 6 protein (1-245AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	EIF6
Alternative Name:	EIF6 (EIF6 Products)
Background:	Background: Binds to the 60S ribosomal subunit and prevents its association with the 40S ribosomal subunit to form the 80S initiation complex in the cytoplasm. May behave as a

stimulatory translation initiation factor downstream insulin/growth factors. Is also involved in ribosome biogenesis. Associates with pre-60S subunits in the nucleus and is involved in its nuclear export. Cytoplasmic release of TIF6 from 60S subunits and nuclear relocalization is promoted by a RACK1 (GNB2L1)-dependent protein kinase C activity.

Aliases: b(2)gcn antibody, B(2)GCN homolog antibody, B4 integrin interactor antibody, Binding protein of beta-4 integrin antibody, CAB antibody, eIF-6 antibody, EIF3A antibody, EIF6 antibody, Eukaryotic translation initiation factor 3A antibody, Eukaryotic translation initiation factor 6 antibody, IF6_HUMAN antibody, Integrin beta 4 binding protein antibody, ITGB4BP antibody, OK/SW-cl.27 antibody, p27 beta 4 integrin binding protein antibody, p27(BBP) antibody, p27BBP antibody, RP4-61404.1 antibody

UniProt:

P56537

Pathways:

Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly


Application Details

Application Notes:	Recommended dilution: IHC:1:20-1:200, IF:1:50-1:200,
Application Notes.	1.200, 11.1.00 1.200,

Restrictions: For Research Use only


Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemistry analysis of human small intestine tissue using ABIN7152221 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human colon cancer using ABIN7152221 at dilution of 1:100



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human gastric cancer using ABIN7152221 at dilution of 1:100

Please check the product details page for more images. Overall 4 images are available for ABIN7152221.