antibodies .- online.com







anti-TBL1X antibody (AA 1-300) (FITC)



()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	TBL1X
Binding Specificity:	AA 1-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TBL1X antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human F-box-like/WD repeat-containing protein TBL1X protein (1-300AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	TBL1X
Alternative Name:	TBL1X (TBL1X Products)
Background:	Background: F-box-like protein involved in the recruitment of the ubiquitin/19S proteasome
	complex to nuclear receptor-regulated transcription units. Plays an essential role in

transcription activation mediated by nuclear receptors. Probably acts as integral component of corepressor complexes that mediates the recruitment of the 19S proteasome complex, leading to the subsequent proteasomal degradation of transcription repressor complexes, thereby allowing cofactor exchange.

Aliases: EBI antibody, F box like/WD repeat protein TBL1X antibody, F-box-like/WD repeat-containing protein TBL1X antibody, SMAP 55 antibody, SMAP55 antibody, TBL 1 antibody, TBL 1 antibody, TBL1X antibody, TBL1X_HUMAN antibody, Transducin (beta) like 1 antibody, Transducin (beta) like 1 X linked antibody, Transducin (beta) like 1X linked antibody, Transducin beta like 1X antibody, Transducin beta like 1X protein antibody, Transducin beta like protein 1, X linked antibody, Transducin beta-like protein 1X antibody, Transducin-beta-like protein 1 antibody, X-linked antibody

UniProt:

060907

Pathways:

Sensory Perception of Sound, Regulation of Lipid Metabolism by PPARalpha

Application Details

Restrictions:

For Research Use only

Handling

Storage Comment:

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.