

Datasheet for ABIN7152581
anti-FADD antibody (AA 1-208)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	FADD
Binding Specificity:	AA 1-208
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FADD antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human FAS-associated death domain protein (1-208AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	FADD
Alternative Name:	FADD (FADD Products)
Background:	Background: Apoptotic adaptor molecule that recruits caspase-8 or caspase-10 to the activated Fas (CD95) or TNFR-1 receptors. The resulting aggregate called the death-inducing signaling

Target Details

complex (DISC) performs caspase-8 proteolytic activation. Active caspase-8 initiates the subsequent cascade of caspases mediating apoptosis. Involved in interferon-mediated antiviral immune response, playing a role in the positive regulation of interferon signaling.

Aliases: FADD antibody, FADD protein antibody, FADD_HUMAN antibody, Fas (TNFRSF6) associated via death domain antibody, Fas associated via death domain antibody, Fas associating death domain containing protein antibody, Fas associating protein antibody, Fas associating protein with death domain antibody, Fas TNFRSF6 associated via death domain antibody, FAS-associated death domain protein antibody, FAS-associating death domain-containing protein antibody, GIG 3 antibody, GIG3 antibody, Growth inhibiting gene 3 protein antibody, Growth-inhibiting gene 3 protein antibody, H sapiens mRNA for mediator of receptor induced toxicity antibody, Mediator of receptor induced toxicity antibody, MGC8528 antibody, MORT 1 antibody, MORT1 antibody, Protein FADD antibody

UniProt: [Q13158](#)

Pathways: [Apoptosis](#), [TLR Signaling](#), [Activation of Innate immune Response](#), [Positive Regulation of Endopeptidase Activity](#), [Toll-Like Receptors Cascades](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human melanoma using ABIN7152581 at dilution of 1:100