antibodies .- online.com







anti-FARP2 antibody (AA 261-550) (HRP)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	FARP2
Binding Specificity:	AA 261-550
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FARP2 antibody is conjugated to HRP
Application:	ELISA

Product Details

lmmunogen:	Recombinant Human FERM, ARHGEF and pleckstrin domain-containing protein 2 protein (261-550AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	FARP2
Alternative Name:	FARP2 (FARP2 Products)
Background: Background: Functions as guanine nucleotide exchange factor that activates RAC1. May h	

relatively low activity. Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton. Plays a role in TNFSF11-mediated osteoclast differentiation, especially in podosome rearrangement and reorganization of the actin cytoskeleton. Regulates the activation of ITGB3, integrin signaling and cell adhesion (By similarity).

Aliases: FARP2 antibody, FARP2_HUMAN antibody, FERM antibody, FERM domain including RhoGEF antibody, FERM, RhoGEF and pleckstrin domain protein 2 antibody, FERM, RhoGEF and pleckstrin domain-containing protein 2 antibody, FGD1 related Cdc42 GEF antibody, FIR antibody, FRG antibody, KIAA0793 antibody, PH domain-containing family C member 3 antibody, Pleckstrin homology domain-containing family C member 3 antibody, PLEKHC3 antibody, RhoGEF and pleckstrin domain-containing protein 2 antibody

UniProt:

094887

Application Details

Application Notes:	cation Notes: Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	