
# antibodies .- online.com





## anti-FOLR2 antibody (AA 35-167) (HRP)



#### Overview

Quantity:	100 μg
Target:	FOLR2
Binding Specificity:	AA 35-167
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOLR2 antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Folate receptor beta protein (35-167AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	FOLR2
Alternative Name:	FOLR2 (FOLR2 Products)
Background:	Background: Binds to folate and reduced folic acid derivatives and mediates delivery of 5-
	methyltetrahydrofolate and folate analogs into the interior of cells. Has high affinity for folate

and folic acid analogs at neutral pH . Exposure to slightly acidic pH after receptor endocytosis triggers a conformation change that strongly reduces its affinity for folates and mediates their release.

Aliases: beta hFR antibody, FBP antibody, FBP/PL 1 antibody, FBP2 antibody, fetal/placental antibody, folate receptor 2 (fetal) antibody, Folate receptor 2 antibody, Folate receptor antibody, Folate receptor beta antibody, Folate receptor, fetal/placental antibody, Folbp 2 antibody, Folbp 2 antibody, Folpp 2 antibody, FOLR2\_HUMAN antibody, FR beta antibody, FR P3 antibody, FR-beta antibody, Placental folate binding protein antibody, Placental folate-binding protein antibody

UniProt: P14207

Pathways: Dicarboxylic Acid Transport

#### **Application Details**

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.