# antibodies - online.com







## anti-FOXP1 antibody (AA 1-114)

**Images** 



$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μg
Target:	FOXP1
Binding Specificity:	AA 1-114
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXP1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Chromatin Immunoprecipitation (ChIP)

#### **Product Details**

Immunogen:	Recombinant Human Forkhead box protein P1 protein (1-114AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

### Target Details

Target:	FOXP1	
Alternative Name:	FOXP1 (FOXP1 Products)	
Background:	Background: Transcriptional repressor. It plays an important role in the specification and	
	differentiation of lung epithelium. Can act with CTBP1 to synergistically repress transcription	

#### **Target Details**

but CTPBP1 is not essential. Essential transcriptional regulator of B-cell development
Aliases: 12CC4 antibody, FLJ23741 antibody, Fork head related protein like B antibody,
Forkhead box P1 antibody, Forkhead box protein P1 antibody, FOX P1 antibody, FOXP 1
antibody, foxp1 antibody, FOXP1\_HUMAN antibody, Glutamine rich factor 1 antibody, hFKH1B
antibody, HSPC215 antibody, MGC12942 antibody, MGC88572 antibody, MGC99551 antibody,
QRF 1 antibody, QRF1 antibody

UniProt:

Buffer:

Q9H334

Pathways:

Chromatin Binding, Regulation of Muscle Cell Differentiation, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response

#### **Application Details**

Application Notes:	Recommended dilution: IHC:1:20-1:200,
Restrictions:	For Research Use only
I (a sa allisa as	
Handling	

Format:		Liquid

Preservative: 0.03 % Proclin 300

Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be

handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### **Immunohistochemistry**

**Image 1.** Chromatin Immunoprecipitation Hela (1.1\*10 6) were cross-linked with formaldehyde, sonicated, and immunoprecipitated with 4  $\mu g$  anti-FOXP1 or a control normal rabbit IgG. The resulting ChIP DNA was quantified using real-time PCR with primers against the HSP90B promoter.



#### **Immunohistochemistry**

**Image 2.** Immunohistochemistry of paraffin-embedded human tonsil tissue using ABIN7153088 at dilution of 1:100