

Datasheet for ABIN7153097
anti-FOXP3 antibody (AA 1-260)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	FOXP3
Binding Specificity:	AA 1-260
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXP3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Forkhead box protein P3 protein (1-260AA)
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	>95%, Protein G purified

Target Details

Target:	FOXP3
Alternative Name:	FOXP3 (FOXP3 Products)
Background:	Background: Probable transcription factor. Plays a critical role in the control of immune response.

Target Details

Aliases: AIID antibody, DIETER antibody, Forkhead box P3 antibody, Forkhead box protein P3 antibody, FOXP3 antibody, FOXP3_HUMAN antibody, FOXP3delta7 antibody, Immune dysregulation polyendocrinopathy enteropathy X linked antibody, Immunodeficiency polyendocrinopathy enteropathy X linked antibody, IPEX antibody, JM2 antibody, MGC141961 antibody, MGC141963 antibody, OTTHUMP00000025832 antibody, OTTHUMP00000025833 antibody, OTTHUMP00000226737 antibody, PIDX antibody, Scurfin antibody, XPID antibody


UniProt:	Q9BZS1
Pathways:	Chromatin Binding , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , Activated T Cell Proliferation

Application Details

Application Notes:	Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded Hela cells using ABIN7153097 at dilution of 1:100



Western Blotting

Image 2. Western Blot Positive WB detected in: Mouse thymus tissue All lanes: FOXP3 antibody at 3 µg/mL Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 48, 44, 50, 45 kDa Observed band size: 48 kDa