

Datasheet for ABIN7153191 anti-FZD7 antibody (AA 161-239) (FITC)



Overview

| Overview | |
|----------------------|--|
| Quantity: | 100 μL |
| Target: | FZD7 |
| Binding Specificity: | AA 161-239 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FZD7 antibody is conjugated to FITC |
| Application: | Please inquire |
| Product Details | |
| Immunogen: | Recombinant Human Frizzled-7 protein (161-239AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |
| Target Details | |
| Target: | FZD7 |
| Alternative Name: | FZD7 (FZD7 Products) |
| Background: | Background: Receptor for Wnt proteins. Most of frizzled receptors are coupled to the beta- catenin canonical signaling pathway, which leads to the activation of disheveled proteins, |

inhibition of GSK-3 kinase, nuclear accumulation of beta-catenin and activation of Wnt target genes. A second signaling pathway involving PKC and calcium fluxes has been seen for some family members, but it is not yet clear if it represents a distinct pathway or if it can be integrated in the canonical pathway, as PKC seems to be required for Wnt-mediated inactivation of GSK-3 kinase. Both pathways seem to involve interactions with G-proteins. May be involved in transduction and intercellular transmission of polarity information during tissue morphogenesis and/or in differentiated tissues.

Aliases: Frizzled 7, seven transmembrane spanning receptor antibody, frizzled class receptor 7 antibody, Frizzled drosophila homolog of 7 antibody, Frizzled family receptor 7 antibody, Frizzled homolog 7 antibody, Frizzled-7 antibody, Frizzled7 antibody, Fz 7 antibody, Fz-7 antibody, FzD 7 antibody, FZD 7 antibody, FZD7 antibody, FZD7_HUMAN antibody, FzE 3 antibody, FzE3 antibody, hFz 7 antibody, hFz7 antibody, Homolog of Drosophila Frizzled 7 antibody, OTTHUMP00000163742 antibody

UniProt: 075084

Pathways: WNT Signaling, Stem Cell Maintenance

Application Details

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |