# antibodies -online.com





# anti-FUOM antibody (AA 1-134) (HRP)



Go	to F	Prod	uct	page

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μg
Target:	FUOM
Binding Specificity:	AA 1-134
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FUOM antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human Fucose mutarotase protein (1-134AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	FUOM
Alternative Name:	FUOM (FUOM Products)
Background:	Background: Involved in the interconversion between alpha- and beta-L-fucoses. L-Fucose (6-
	deoxy-L-galactose) exists as alpha-L-fucose (29.5 %) and beta-L-fucose (70.5 %), the beta-form

## **Target Details**

is metabolized through the salvage pathway. GDP-L-fucose formed either by the de novo or salvage pathways is transported into the endoplasmic reticulum, where it serves as a substrate for N- and O-glycosylations by fucosyltransferases. Fucosylated structures expressed on cell surfaces or secreted in biological fluids are believed to play a critical role in cell-cell adhesion and recognition processes.

Aliases: FUOM antibody, C10orf125Fucose mutarotase antibody, EC 5.1.3.29 antibody

UniProt:

A2VDF0

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
- I arraining	

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Clycerol 0.01M PRS DH 7.4

	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.