

Datasheet for ABIN7153329

anti-GPR161 antibody (AA 1-28) (FITC)



Overview

| Quantity: | 100 μg |
|----------------------|--|
| Target: | GPR161 |
| Binding Specificity: | AA 1-28 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GPR161 antibody is conjugated to FITC |
| Application: | Please inquire |
| Product Details | |

Product Details

| Immunogen: | Recombinant Human G-protein coupled receptor 161 protein (1-28AA) |
|-------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| Target: | GPR161 |
|-------------------|--|
| Alternative Name: | GPR161 (GPR161 Products) |
| Background: | Background: Key negative regulator of Shh signaling, which promotes the processing of GLI3 |
| | into GLI3R during neural tube development. Recruited by TULP3 and the IFT-A complex to |

Target Details

primary cilia and acts as a regulator of the PKA-dependent basal repression machinery in Shh signaling by increasing cAMP levels, leading to promote the PKA-dependent processing of GLI3 into GLI3R and repress the Shh signaling. In presence of SHH, it is removed from primary cilia and is internalized into recycling endosomes, preventing its activity and allowing activation of the Shh signaling. Its ligand is unknown (By similarity).

Aliases: GPR161 antibody, G-protein coupled receptor 161 antibody, G-protein coupled receptor RE2 antibody

UniProt: Q8N6U8

Pathways: cAMP Metabolic Process

Application Details

Restrictions: For Research Use only

Handling

Storage:

| Format: | Liquid |
|--------------------|---|
| Buffer: | Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4 |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

-20 °C,-80 °C