# antibodies - online.com







# anti-GPR84 antibody (AA 202-320)



Image



## Overview

Quantity:	100 μg
Target:	GPR84
Binding Specificity:	AA 202-320
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPR84 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF)

# **Product Details**

Immunogen:	Recombinant Human G-protein coupled receptor 84 protein (202-320AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	GPR84
Alternative Name:	GPR84 (GPR84 Products)
Background:	Background: Receptor for medium-chain free fatty acid (FFA) with carbon chain lengths of C9
	to C14. Capric acid (C10:0), undecanoic acid (C11:0) and lauric acid (C12:0) are the most potent

## **Target Details**

agonists. Not activated by short-chain and long-chain saturated and unsaturated FFAs. Activation by medium-chain free fatty acid is coupled to a pertussis toxin sensitive G(i/o) protein pathway. May have important roles in processes from fatty acid metabolism to regulation of the immune system.

Aliases: EX 33 antibody, EX33 antibody, G protein coupled receptor 84 antibody, G protein coupled receptor EX 33 antibody, G protein coupled receptor EX33 antibody, G-protein coupled receptor 84 antibody, GPCR 4 antibody, GPCR EX33 antibody, GPCR4 antibody, GPR 84 antibody, GPR84 antibody, GPR84\_HUMAN antibody, Inflammation related G protein coupled receptor EX 33 antibody, Inflammation related G protein coupled receptor EX33 antibody, Inflammation-related G-protein coupled receptor EX33 antibody

UniProt:

Q9NQS5

# **Application Details**

Application Notes:	Recommended dilution: IF:1:50-1:200,
Restrictions:	For Research Use only
Llondling	
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4


Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20 °C. Avoid repeated freeze.



# Immunofluorescence

**Image 1.** Immunofluorescent analysis of Hela cells using ABIN7153355 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)