

# Datasheet for ABIN7153756 anti-SIP1 antibody (AA 1-280) (HRP)



#### Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μg
Target:	SIP1 (GEMIN2)
Binding Specificity:	AA 1-280
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIP1 antibody is conjugated to HRP
Application:	ELISA

## **Product Details**

Immunogen:	Recombinant Human Gem-associated protein 2 protein (1-280AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# **Target Details**

Target:	SIP1 (GEMIN2)	
Alternative Name:	GEMIN2 (GEMIN2 Products)	
Background:	Background: The SMN complex plays a catalyst role in the assembly of small nuclear ribonucleoproteins (snRNPs), the building blocks of the spliceosome. Thereby, plays an	

important role in the splicing of cellular pre-mRNAs. Most spliceosomal snRNPs contain a common set of Sm proteins SNRPB, SNRPD1, SNRPD2, SNRPD3, SNRPE, SNRPF and SNRPG that assemble in a heptameric protein ring on the Sm site of the small nuclear RNA to form the core snRNP. In the cytosol, the Sm proteins SNRPD1, SNRPD2, SNRPE, SNRPF and SNRPG are trapped in an inactive 6S plCln-Sm complex by the chaperone CLNS1A that controls the assembly of the core snRNP. Dissociation by the SMN complex of CLNS1A from the trapped Sm proteins and their transfer to an SMN-Sm complex triggers the assembly of core snRNPs and their transport to the nucleus.

Aliases: Component of gems 2 antibody, Gem (nuclear organelle) associated protein 2 antibody, Gem associated protein 2 antibody, GEMI2\_HUMAN antibody, Gemin-2 antibody, gemin2 antibody, SIP 1 antibody, SIP-1 antibody, SIP1 antibody, SIP1 delta antibody, SIP1-delta antibody, SMN interacting protein 1 antibody, SMN interacting protein 1 delta antibody, SMN-interacting protein 1 antibody, Survival interacting protein 1 antibody, Survival of motor neuron protein interacting protein 1 antibody, Survival of motor neuron protein-interacting protein 1 antibody

UniProt: 014893

Pathways: Ribonucleoprotein Complex Subunit Organization, Tube Formation

### **Application Details**

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

### Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.