# antibodies -online.com





# anti-GCET2 antibody (AA 1-178) (FITC)



oo to roudet page

( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	GCET2
Binding Specificity:	AA 1-178
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GCET2 antibody is conjugated to FITC
Application:	Please inquire

**Product Details** 

Immunogen:	Recombinant Human Germinal center-associated signaling and motility protein (1-178AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

# Target Details

Target:	GCET2
Alternative Name:	GCSAM (GCET2 Products)
Background:	Background: Involved in the negative regulation of lymphocyte motility. It mediates the
	migration-inhibitory effects of IL6. Serves as a positive regulator of the RhoA signaling pathway.

## **Target Details**

Enhancement of RhoA activation results in inhibition of lymphocyte and lymphoma cell motility by activation of its downstream effector ROCK. Is a regulator of B-cell receptor signaling, that acts through SYK kinase activation.

Aliases: GCAT2 antibody, Gcet antibody, GCET2 germinal center expressed transcript 2 antibody, GCET2 germinal centre expressed transcript 2 antibody, Gcsam antibody, GCSAM\_HUMAN antibody, Germinal center associated lymphoma antibody, Germinal center associated lymphoma protein antibody, Germinal center B cell associated protein 2 antibody, Germinal center B-cell-expressed transcript 2 protein antibody, Germinal center expressed transcript 2 antibody, Germinal center-associated lymphoma protein antibody, Germinal center-associated signaling and motility protein antibody, Germinal centre associated lymphoma antibody, Germinal centre B cell associated protein 2 antibody, Germinal centre expressed transcript 2 antibody, hGAL antibody, M17 antibody, M17 L antibody

UniProt:

Q8N6F7

### **Application Details**

Restrictions:

For Research Use only

### Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	