# antibodies .- online.com





# anti-GNAT2 antibody (AA 2-139) (HRP)



Go to Product pag

| ( ) | 1/0 | r\ /1 | 014 |   |
|-----|-----|-------|-----|---|
| ( ) | ve  | I V I | -v  | V |
|     |     |       |     |   |

| Quantity:            | 100 μg                                   |
|----------------------|--|
| Target:              | GNAT2                                    |
| Binding Specificity: | AA 2-139                                 |
| Reactivity:          | Human                                    |
| Host:                | Rabbit                                   |
| Clonality:           | Polyclonal                               |
| Conjugate:           | This GNAT2 antibody is conjugated to HRP |
| Application:         | ELISA                                    |

### **Product Details**

| Immunogen:        | Recombinant Human Guanine nucleotide-binding protein G(t) subunit alpha-2 protein (2-139AA) |  |
|-------------------|---|--|
| Isotype:          | IgG   |  |
| Cross-Reactivity: | Human   |  |
| Purification:     | >95%, Protein G purified  |  |

# Target Details

| Target:           | GNAT2  |
|-------------------|--|
| Alternative Name: | GNAT2 (GNAT2 Products)   |
| Background:       | Background: Guanine nucleotide-binding proteins (G proteins) are involved as modulators or |
|                   | transducers in various transmembrane signaling systems. Transducin is an amplifier and one |

of the transducers of a visual impulse that performs the coupling between rhodopsin and cGMP-phosphodiesterase.

Aliases: ACHM4 antibody, Cone type transducin alpha subunit antibody, GNAT 2 antibody, GNAT C antibody, Gnat2 antibody, GNAT2\_HUMAN antibody, GNATC antibody, Guanine nucleotide binding protein (G protein) alpha transducing activity polypeptide 2 antibody, Guanine nucleotide binding protein G t subunit alpha 2 antibody, Guanine nucleotide-binding protein G(t) subunit alpha-2 antibody, Transducin alpha 2 antibody, Transducin alpha-2 chain antibody, Transducin alpha-2 antibody, Transducin cone specific alpha polypeptide antibody

UniProt: P19087

Pathways: G-protein mediated Events, Phototransduction

## **Application Details**

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions:      | For Research Use only  |

### Handling

| папишпу            |   |  |
|--------------------|---|--|
| Format:            | Liquid  |  |
| Buffer:            | Preservative: 0.03 % Proclin 300<br>Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4                                |  |
| Preservative:      | ProClin   |  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |  |
| Storage:           | -20 °C,-80 °C   |  |
| Storage Comment:   | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.   |  |