

Target:

Datasheet for ABIN715481 anti-SERPING1 antibody (AA 401-500)



Go to Product page

Overview			
Quantity:	100 μL		
Target:	SERPING1		
Binding Specificity:	AA 401-500		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This SERPING1 antibody is un-conjugated		
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human SERPING1		
Isotype:	IgG		
Cross-Reactivity:	Human		
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Guinea Pig		
Purification:	Purified by Protein A.		
Target Details			

SERPING1

Target Details

- Target Details			
Abstract:	SERPING1 Products		
Background:	Synonyms: C1 esterase inhibitor, C1 INH, C1 inhibitor, C1-inhibiting factor, C1IN, C1Inh, C1NH,		
	esterase inhibitor, HAE1, IC1_HUMAN, Plasma protease C1 inhibitor, Serine or cysteine		
	proteinase inhibitor clade G member 1, Serpin G1, SERPING1.		
	Background: C1 Inactivator is a highly glycosylated plasma protein involved in the regulation of		
	the complement cascade. Its protein inhibits activated C1r and C1s of the first complement		
	component and thus regulates complement activation. Deficiency of this protein is associated		
	with hereditary angioneurotic oedema (HANE). Alternative splicing results in multiple transcript		
	variants encoding the same isoform.		
Gene ID:	710		
Pathways:	Complement System		
Application Details			
Application Notes:	WB 1:300-5000		
	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

Н	and	lin	C

Expiry Date:

12 months