

Datasheet for ABIN7155035
anti-TIM3 antibody (AA 22-202)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	TIM3 (TIM 3)
Binding Specificity:	AA 22-202
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TIM3 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human Hepatitis A virus cellular receptor 2 protein (22-202AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	TIM3 (TIM 3)
Alternative Name:	HAVCR2 (TIM 3 Products)
Target Type:	Virus
Background:	Background: Regulates macrophage activation. Inhibits T-helper type 1 lymphocyte (Th1)-

Target Details

mediated auto- and alloimmune responses and promotes immunological tolerance. May be also involved in T-cell homing. Receptor for LGALS9.

Aliases: CD366 antibody, FLJ14428 antibody, HAVcr-2 antibody, Havcr2 antibody, HAVR2_HUMAN antibody, Hepatitis A virus cellular receptor 2 antibody, Kidney injury molecule 3 antibody, KIM 3 antibody, KIM3 antibody, T cell immunoglobulin and mucin domain containing 3 antibody, T cell immunoglobulin mucin 3 antibody, T-cell immunoglobulin and mucin domain-containing protein 3 antibody, T-cell immunoglobulin mucin family member 3 antibody, T-cell immunoglobulin mucin receptor 3 antibody, T-cell membrane protein 3 antibody, Tim 3 antibody, TIM-3 antibody, TIM3 antibody, TIMD-3 antibody, TIMD3 antibody

UniProt: [Q8TDQ0](#)

Pathways: [Regulation of Lipid Metabolism by PPARAlpha](#), [Cancer Immune Checkpoints](#)

Application Details

Application Notes: Recommended dilution: IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunofluorescence

Image 1. Immunofluorescent analysis of PC-3 cells using ABIN7155035 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)