

Datasheet for ABIN7155112
anti-HNRNPH1 antibody (AA 2-216)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	HNRNPH1
Binding Specificity:	AA 2-216
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPH1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Heterogeneous nuclear ribonucleoprotein H protein (2-216AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	HNRNPH1
Alternative Name:	HNRNPH1 (HNRNPH1 Products)
Background:	Background: This protein is a component of the heterogeneous nuclear ribonucleoprotein (hnRNP) complexes which provide the substrate for the processing events that pre-mRNAs

Target Details

undergo before becoming functional, translatable mRNAs in the cytoplasm. Mediates pre-mRNA alternative splicing regulation. Inhibits, together with CUGBP1, insulin receptor (IR) pre-mRNA exon 11 inclusion in myoblast. Binds to the IR RNA. Binds poly(RG).

Aliases: DKFZp686A15170 antibody, Heterogeneous nuclear ribonucleoprotein H antibody, Heterogeneous nuclear ribonucleoprotein H1 (H) antibody, Heterogeneous nuclear ribonucleoprotein H1 antibody, HNRH1_HUMAN antibody, hnRNP H antibody, hnRNPH antibody, Hnrnph1 antibody, HNRPH 1 antibody, HNRPH antibody, HNRPH1 protein antibody, N-terminally processed antibody

UniProt: [P31943](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot All lanes: HNRNPH1 antibody at 2 μ g/mL Lane 1: EC109 whole cell lysate Lane 2: 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 50 kDa Observed band size: 36 kDa