antibodies .- online.com





anti-SETD3 antibody (AA 166-265) (Biotin)



Overview

Quantity:	100 μg
Target:	SETD3
Binding Specificity:	AA 166-265
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SETD3 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Histone-lysine N-methyltransferase setd3 protein (166-265AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	SETD3
Alternative Name:	SETD3 (SETD3 Products)
Background:	Background: Histone methyltransferase that methylates \'Lys-4\' and \'Lys-36\' of histone H3
	(H3K4me and H3K36me). Acts as a transcriptional activator. Plays an important role in the

Target Details

transcriptional regulation of muscle cell differentiation via interaction with MYOD1.

Aliases: C14orf154 antibody, Chromosome 14 open reading frame 154 antibody,

DKFZp761E1415 antibody, FLJ23027 antibody, Histone lysine N methyltransferase setd3

antibody, Histone-lysine N-methyltransferase setd3 antibody, MGC87236 antibody, SET domain containing 3 antibody, SET domain containing protein 3 antibody, SET domain-containing protein 3 antibody, SETD 3 antibody, Setd3 antibody, SETD3_HUMAN antibody

UniProt: Q86TU7

Pathways: Regulation of Muscle Cell Differentiation

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format:

Buffer:

Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative:

ProClin

Precaution of Use:

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.