

Datasheet for ABIN7156719
anti-ILF2 antibody (AA 1-390) (HRP)



[Go to Product page](#)

Overview

| | |
|----------------------|---|
| Quantity: | 100 µg |
| Target: | ILF2 |
| Binding Specificity: | AA 1-390 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ILF2 antibody is conjugated to HRP |
| Application: | ELISA |

Product Details

| | |
|-------------------|---|
| Immunogen: | Recombinant Human Interleukin enhancer-binding factor 2 protein (1-390AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|---|
| Target: | ILF2 |
| Alternative Name: | ILF2 (ILF2 Products) |
| Background: | Background: EIF3S2 is the largest of the EIFs. It consists of at least 10 nonidentical subunits in mammals. In <i>S. cerevisiae</i> the p39 subunit contains WD repeats, these are thought to mediate |

Target Details

protein-protein interactions. The p39 protein appears to be essential for maintaining the integrity of the yeast EIF3 complex. The mammalian EIF3-p36 subunit is homologous to yeast p39.

Aliases: HGNC:6037 antibody, ILF 2 antibody, ilf2 antibody, ILF2_HUMAN antibody, Interleukin enhancer binding factor 2 antibody, Interleukin enhancer binding factor 2, 45 kDa antibody, Interleukin enhancer-binding factor 2 antibody, MGC8391 antibody, NF 45 antibody, NF45 antibody, Nuclear factor of activated T cells 45 kDa antibody, Nuclear factor of activated T-cells 45 kDa antibody, PRO3063 antibody

UniProt: [Q12905](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.