

Datasheet for ABIN7156847
anti-CD25 antibody (AA 30-250)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	CD25 (IL2RA)
Binding Specificity:	AA 30-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD25 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Recombinant Human Interleukin-20 receptor subunit alpha protein (30-250AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	CD25 (IL2RA)
Alternative Name:	IL2RA (IL2RA Products)
Background:	Background: The IL20RA/IL20RB dimer is a receptor for IL19, IL20 and IL24. The IL20RA/IL10RB dimer is a receptor for IL26.

Target Details

Aliases: class II cytokine receptor ZCYTOR7 antibody, CRF2 8 antibody, CRF2-8 antibody, Cytokine receptor class II member 8 antibody, Cytokine receptor class-II member 8 antibody, Cytokine receptor family 2 member 8 antibody, I20RA_HUMAN antibody, IL 20R alpha antibody, IL 20R1 antibody, IL-20 receptor subunit alpha antibody, IL-20R-alpha antibody, IL-20R1 antibody, IL-20RA antibody, IL20 Receptor alpha antibody, IL20RA antibody, Interleukin 20 receptor alpha chain antibody, Interleukin 20 receptor, alpha antibody, interleukin-20 receptor I antibody, Interleukin-20 receptor subunit alpha antibody, ZcytoR7 antibody

UniProt: [Q9UHF4](#)

Pathways: [JAK-STAT Signaling](#), [Growth Factor Binding](#), [Activated T Cell Proliferation](#)

Application Details

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human adrenal gland tissue using ABIN7156847 at dilution of 1:100



Immunohistochemistry

Image 2. Immunohistochemistry of paraffin-embedded human liver cancer using ABIN7156847 at dilution of 1:100