



[Go to Product page](#)

Datasheet for ABIN715706
anti-TRAF3IP2 antibody (AA 501-574)

Overview

Quantity:	100 µL
Target:	TRAF3IP2
Binding Specificity:	AA 501-574
Reactivity:	Rat, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAF3IP2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CIKS/Nuclear Factor Kappa B Activator 1
Isotype:	IgG
Cross-Reactivity:	Chicken, Rat
Predicted Reactivity:	Human, Mouse, Dog, Cow, Pig, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	TRAF3IP2
---------	----------

Target Details

Alternative Name:	Ciks (TRAF3IP2 Products)
Background:	<p>Synonyms: Act 1, ACT1, Activator of cAMP responsive element modulator CREM in testis, Adapter protein CIKS, C6ORF4, C6ORF5, C6ORF6, Chromosome 6 Open Reading Frame 4, Chromosome 6 Open Reading Frame 5, Chromosome 6 Open Reading Frame 6, CIKS, CIKS_HUMAN, Connection to IKK and SAPK / JNK, Connection to IKK and SAPK/JNK, Nuclear Factor Kappa B Activator 1, Nuclear factor NF kappa B activator 1, Nuclear factor NF-kappa-B activator 1, TRAF3 interacting protein 2, TRAF3-interacting protein 2, TRAF3IP2.</p> <p>Background: Could be involved in the activation of both NF-kappa-B via a NF-kappa-B inhibitor kinase (IKK)-dependent mechanism and stress-activated protein kinase (SAPK)/JNK.</p>
Gene ID:	10758
Pathways:	Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Handling

Expiry Date: 12 months