



Datasheet for ABIN7157257
anti-KBTBD7 antibody (AA 475-684)



[Go to Product page](#)

3 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | KBTBD7 |
| Binding Specificity: | AA 475-684 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This KBTBD7 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|--|
| Immunogen: | Recombinant Human Kelch repeat and BTB domain-containing protein 7 protein (475-684AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | Antigen Affinity Purified |

Target Details

| | |
|-------------------|--|
| Target: | KBTBD7 |
| Alternative Name: | KBTBD7 (KBTBD7 Products) |
| Background: | Background: Cul3-RING ubiquitin ligase complex, cytosol, MAPK cascade Aliases: 1110008P08Rik antibody, AU045792 antibody, DKFZP434E2318 antibody, Gm295 |

Target Details

antibody, KBTB7_HUMAN antibody, KBTBD 7 antibody, KBTBD7 antibody, Kelch repeat and BTB (POZ) domain containing 7 antibody, Kelch repeat and BTB domain containing protein 7 antibody, Kelch repeat and BTB domain-containing protein 7 antibody, OTTHUMP00000018313 antibody

UniProt: [Q8WVZ9](#)

Application Details

Application Notes: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human brain tissue using ABIN7157257 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: KBTBD7 antibody at 1.85 μ g/mL Lane 1: HL60 whole cell lysate Lane 2: A549 whole cell lysate Lane 3: 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 77 kDa Observed band size: 77 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human testis tissue using ABIN7157257 at dilution of 1:100