



[Go to Product page](#)

Datasheet for ABIN7157360
anti-Keratin 33B antibody (AA 1-404)

3 Images

Overview

Quantity:	100 µg
Target:	Keratin 33B (KRT33B)
Binding Specificity:	AA 1-404
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Keratin 33B antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human Keratin, type I cuticular Ha3-II protein (1-404AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	Keratin 33B (KRT33B)
Alternative Name:	KRT33B (KRT33B Products)
Background:	Background: There are two types of hair/microfibrillar keratin, I (acidic) and II (neutral to basic). Aliases: HA 3II antibody, HA3II antibody, Hair keratin antibody, Hair keratin type I Ha3 II

Target Details

antibody, Hard keratin type I 3II antibody, hHa3 II antibody, hHa3II antibody, HKA3B antibody, K33B antibody, Keratin 33B antibody, Keratin antibody, Keratin hair acidic 3B antibody, Keratin hair acidic3B antibody, Keratin type I cuticular Ha3 II antibody, Keratin-33B antibody, Keratin33B antibody, KRT 33B antibody, KRT33B antibody, KRTHA 3B antibody, KRTHA3A antibody, KRTHA3B antibody, KT33B_HUMAN antibody, type I cuticular Ha3-II antibody, type I Ha3-II antibody, Type I hair keratin 3B antibody

UniProt: [Q14525](#)

Application Details

Application Notes: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemistry of paraffin-embedded human prostate cancer using ABIN7157360 at dilution of 1:100



Western Blotting

Image 2. Western blot All lanes: KRT33B antibody at 1 μ g/mL + MCF-7 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 47 kDa Observed band size: 47 kDa



Immunohistochemistry

Image 3. Immunohistochemistry of paraffin-embedded human cervical cancer using ABIN7157360 at dilution of 1:100